


SCHEDULE OF STIRRUPS		
MARK	LENGTH	STIRRUPS
S1	AS SHOWN IN SECTION (OR) 2x BEAM DEPTH	2L-8 @ 100 C/C
S2	AS SHOWN IN SECTION	2L-8 @ 125 C/C
S3	AS SHOWN IN SECTION	2L-8 @ 200 C/C

28.01.2020
Assistant Engineer (Civil)
BSPTCL

24.1.20
Executive Engineer (Civil)
B.S.P.T.C.L.

Drawing is approved
subject to overall
responsibility of the contractor
in terms of contract agreement
or, turn key for the work

24.1.20
Chief Engineer (Civil-1)
BSPTCL

24.1.20
Superintending Engineer (Civil)
BSPTCL

- NOTE**
1. ALL DIMENSIONS ARE IN MILLIMETERS, LEVELS AND CO-ORDINATES ARE IN METERS.
 2. FOR ALL OTHER NOTES AND LEGENDS PLEASE REFER THIS DRAWING 01 OF 03.

BIHAR STATE POWER TRANSMISSION COMPANY LTD. (BSPTCL)

TITLE : GA & RCC DETAILS OF ROOF BEAM AND SLAB FOR 2 BHK APARTMENT

DWG. NO. CD_2BHK_20-19

SCALE : 1: 100

SHEET : 02 OF 03

SIZE - A2