












- GENERAL NOTES:
1. ALL DIMENSIONS & LEVEL ARE IN MM UNLESS STATED OTHERWISE.
 2. F.F.L. CORRESPONDS TO LOCAL THE F.O.G. OF THE BUILDING SHALL BE AS PER THE APPROVED GRADING & LEVELING DRAWINGS OF SUBSTATION.
 3. 1000 MM WIDE PLINTH PROTECTION TO BE PROVIDED ALL ROUND THE BUILDING WHEREVER POSSIBLE.
 4. SUNSHADE CHAJJA OVER & DOOR SHALL BE 750MM & ROLLING SHUTTER SHALL BE 100MM.
 5. FOR BANTARY & PLUMBING DETAIL REFER SEPARATE DRAWING.
 6. SIZES OF COLUMNS ARE JUST INDICATIVE, REIN. SHALL BE AS PER STRUCTURAL DRAWING.
 7. SLOPE OF PERIMETER DRAIN SHALL BE 1:50.
 8. WALLS SHALL BE OF BRICK (230MM) 100MM MASONRY OF SIZE 230MM THK. FOR EXTERNAL WALLS & INTERNAL WALLS. WHEREVER INDICATED THE INTERNAL PARTITION WALLS SHALL BE 115MM THK. THE WALL SHALL BE SUPPORTED ON 75mm THK. EPS OF CONCRETE GRADE M20.
 9. ALL LEVELS ARE TO BE VERIFIED BEFORE THE START OF CONSTRUCTION.
 10. LOCATION ORIENTATION & CO-ORDINATES OF THE BUILDING SHALL BE CROSS-CHECKED WITH STRUCTURAL CIVIL DRAWINGS. IN CASE OF ANY MISMATCH THE SAME SHALL BE GOT RESOLVED BEFORE CONSTRUCTION.
 11. PLINTH BEAM LEVEL, SIZE & LOCATION SHALL BE AS PER STRUCTURE.
 12. RAILING DESIGN FOR STAIRCASE, STEPS & BALCONY IS INDICATIVE ONLY. TO BE FINALISED AS PER SITE.
- LEGENDS:
- F.F.L. FINISHED FLOOR LEVEL
 - F.G.L. FINISHED GROUND LEVEL
 - T.O.C. TOP OF CONCRETE
 - R.B. ROLLING SHUTTER
 - W. WINDOW
 - D. DOOR
 - V. VENTILATOR
 - R.W.P. RAIN WATER PIPE
 - R.W.O. RAIN WATER OUTLET
 - BRICK WALL
 - R.C.C.



Drawing is approved subject to overall responsibility of the contractor in terms of contract agreement or, turn key for the work.

Chief Engineer (Civil) BSPTCL

Structural Engineer (Civil) BSPTCL

Superintending Engineer (Civil) BSPTCL

Bihar State Power Transmission Company Limited (BSPTCL)

Title: ARCHITECTURAL WALL SECTION DETAIL FOR 3BHK APARTMENT

Drg.No.: - CD_3BHK21-07

Scale: AS PER SHOWN

Sheet: 01 OF 01