






PLAN AT RAFTER LEVEL



PLAN AT TIE LEVEL



PLAN AT PURLIN LEVEL


Drawing is approved
subject to overall
responsibility of the contractor
in terms of contract agreement
or, turn key for the work

9.12.19
Chief Engineer (Civil-I)
BSPTCL

7.12.19
Superintending Engineer (Civil)
BSPTCL

7.12.19
Executive Engineer (Civil)
B.S.P.T.C.L.

06.12.19
Assistant Engineer (Civil)
BSPTCL



BOLT SETTING OUT PLAN

NOTE

- ALL DIMENSIONS ARE IN MILLIMETERS, LEVELS AND CO-ORDINATES ARE IN METERS.
- ALL ERECTION HOLES ARE 13.50 ϕ FOR M12 BOLTS UNLESS OTHERWISE SPECIFIED.
- ALL WELDS ARE 3mm THK. FILLET WELD ON ALL AVAILABLE CONTACT LENGTH UNLESS OTHERWISE SPECIFIED.
- ALL STRUCTURAL PIPE SHALL CONFORM TO IS-1161.
- ALL STRUCTURAL STEEL SHALL BE OF GRADE YS210.
- S TYPE GI HOOK SHALL BE USED FOR FIXING OF ROOF SHEETING.
- FOR ALL OTHER NOTES AND LEGENDS PLEASE REFER THIS DRAWING 01 OF 06.

REFERENCE DRAWINGS

- KEC-SB937-GRL-01-1001 - OVERALL GENERAL ARRANGEMENT LAYOUT PLAN.
- KEC-SB937-GRL-90-0002 - OVERALL FOUNDATION LAYOUT.

Bihar State Power
Transmission Company
Limited (BSPTCL)

Title: GA & DETAILS OF FOUNDATION,
COLUMN, PLINTH BEAM, LINTEL
BEAM, TIE BEAM, RAMP OF STORE
BUILDING

Drg.No.:- CD_STORE_08-05

Scale:
1:100

Sheet:
05 OF 06