

## GSS:- 220/132/33KV GSS Begusarai

	LOCATION
01	Name of GSS
02	Located at ( Name of locality)
03	Block/Prakhand
04	Police Station (Thana)
05	Sub-Division
06	District
07	Transmission Division
08	Transmission Circle
09	GPS Co-ordinates LAND DETAILS
10	Initial Area (In Acre)
11	Whether it was: (i) A Govt. Land (State type GM or ) (ii) Private Land If Private Land, Whether (i) Purchased (ii) Acquired (iii) Leased Land
12	Year of Purchase/Acquisition
13	Whether mutation completed
14	Cost of the Land (At the time of procurement)
15	Whether more land was purchased /acquired/ Leased in for GSS Extension work? If yes, Give details
16	Area of the extra land for GSS
17	Cost
20	Year of Purchase/lease of extra land
21	Total area at present Details of Land (Khata/Khesara)
	Thanha No.
	Name of Municipality/Nagar Parishad etc.
	Ward No./Circle No./ Holding No.
	Amount of Early Land related Taxes
	Taxes clear up to
22	Land Records available with

*Amelia*  
10/11/18  
Assistant Executive Engineer  
Transmission Sub-division Begusarai

*cls*  
*Amelia*  
10/11/18  
Electrical Executive Engineer  
Transmission Division Begusarai

S:- 220/132/33KV GSS -

Details of Existing Equipment				
Name of Circle: Bhagalpur	Name of Bay	Equipment Name	Quantity	Make
Sl. No.				Date of Commissioning
Biharsharif ckt 1	Biharsharif ckt 1	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB
		3 Phase Circuit Breaker	1	Areva
		1-Ph CVT	3	Areva
		LA	3	Oblum Electrical Ltd
		1-Ph Current Transformer	3	SCT
		3 Phase Isolator with/without Earth switch	4	Faraday electrical
		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB
Biharsharif ckt 2	Biharsharif ckt 2	3 Phase Circuit Breaker	1	Areva
		1-Ph CVT	3	Areva
		LA	3	Oblum Electrical Ltd
		1-Ph Current Transformer	3	SCT
		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB
		3 Phase Circuit Breaker	1	Areva
		1-Ph CVT	3	Areva

	3 Phase Isolator with/without Earth switch	4	Faraday electrical	2009
Purnea CKT 1	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
	3 Phase Circuit Breaker	1	Areva	2009
	1-Ph CVT	3	Areva	2009
	LA	1	Oblum Electrical ltd	2009
	1-Ph Current Transformer	3	SCT	2009
	3 Phase Isolator with/without Earth switch	4	Faraday electrical	2009
220 KV Line Bay	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
	3 Phase Circuit Breaker	1	Areva	2009
	1-Ph CVT	3	Areva	2009
	LA	3	Oblum Electrical ltd	2009
	1-Ph Current Transformer	3	SCT	2009
	3 Phase Isolator with/without Earth switch	4	Faraday electrical	2009
	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009

Assistant Executive Engineer

Executive Engineer

New samastipur 1	3 Phase Circuit Breaker	1	Areva	2009
	1-Ph CVT	3	Areva	2009
	LA	3	Oblum Electrical ltd	2009
	1-Ph Current Transformer	3	Areva	2009
	3 Phase Isolator with/without Earth switch	4	Faraday electrical	2009
New samastipur 2	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
	3 Phase Circuit Breaker	1	Areva	2009
	1-Ph CVT	3	Areva	2009
	LA	3	Oblum Electrical ltd	2009
	1-Ph Current Transformer	3	Areva	2009
220kv TBC	3 Phase Isolator with/without Earth switch	4	Faraday electrical	2009
	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
	3 Phase Circuit Breaker	1	Areva	2009
	LA	3	Oblum Electrical ltd	2009
	1-Ph Current Transformer	3	SCT	2009

Assistant Executive Engineer  
Transmission Sub-division Baganpur

cts  
10/11/18  
Electrical Executive Engineer  
Transmission Division Baganpur

		3 Phase Isolator with/without Earth switch	4	Faraday electrical	
220/132 KV Transformer bay(HV)	100mva Transformer no 1	Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2009
		3 Phase Circuit Breaker	1	Areva	2009
		LA	3	Oblum Electrical ltd	2009
		1-Ph Current Transformer	3	Areva	2009
		3 Phase Isolator with/without Earth switch	4	Faraday electrical	2009
220/132 KV Transformer bay(HV)	100mva Transformer no 2	Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2009
		3 Phase Circuit Breaker	1	Areva	2009
		LA	3	Oblum Electrical ltd	2009
		1-Ph Current Transformer	3	Areva	2009
		3 Phase Isolator with/without Earth switch	4	Faraday electrical	2009
220/132 KV Transformer bay(HV)	100mva Transformer no 3	Transformer control & relay panel with Differential protection & O/C E/F protection	1	Vension electrica pvt ltd	2009
		3 Phase Circuit Breaker	1	CGL	2015
		LA	3	Lamco Electrical	2015

Assistant Executive Engineer  
Transmission Sub-division Bhopal

10/11/18  
10/11/18  
Electrical Executive Engineer  
Division Bhopal

		Transformer no 3	1-Ph Current Transformer	3	Heptacare power industries ltd	2015
			3 Phase Isolator with/without Earth switch	4	Seimens	2015
220/132 KV Transformer bay(HV)	100mva Transformer no 4	Transformer control & relay panel with Differential protection & O/C E/F protection		1	Vension electrica pvt ltd	2015
		3 Phase Circuit Breaker		1	CGL	2015
		LA		3	Lamco Electrical	2015
		1-Ph Current Transformer		3	Heptacare power industries ltd	2015
		3 Phase Isolator with/without Earth switch		4	Seimens	2015
220/132 KV Transformer bay(LV)	100mva transformer no 1	Transformer control & relay panel with Differential protection & O/C E/F protection		1	ABB	2009
		3 Phase Circuit Breaker		1	Areva	2009
		LA		3	Oblum Electrical ltd	2009
		1-Ph Current Transformer		3	Areva	2009
		3 Phase Isolator with/without Earth switch		4	Faraday electrical	2009

Assistant Executive Engineer  
Transmission Sub-division Regional

APRIL 2018  
TODAY  
APRIL 2018  
Electrical Executive Engineer  
Transmission Division Regional

220/132 KV Transformer bay(LV)	100mva transformer no 2	Transformer control & relay panel with Differential protection & O/C E/F protection	1		
		3 Phase Circuit Breaker	1	ABB	2009
		LA	3	Oblum Electrical ltd	2009
		1-Ph Current Transformer	3	Areva	2009
		3 Phase Isolator with/without Earth switch	4	Faraday electrical	2009
220/132 KV Transformer bay(LV)	100mva transformer no 3	Transformer control & relay panel with Differential protection & O/C E/F protection	1	Vension electrica pvt ltd	2015
		3 Phase Circuit Breaker	1	CGL	2015
		LA	3	Lamco Electrical	2015
		1-Ph Current Transformer	3	Heptacare power industries ltd	2015
		3 Phase Isolator with/without Earth switch	4	Seimens	2015
220/132 KV Transformer bay(LV)	100mva transformer no 4	Transformer control & relay panel with Differential protection & O/C E/F protection	1	Vension electrica pvt ltd	2015
		3 Phase Circuit Breaker	1	CGL	2015
		LA	3	Lamco Electrical	2015
		1-Ph Current Transformer	3	Heptacare power industries ltd	2015

Assistant Executive Engineer  
Transmission Sub-division Bognar

Electrical Executive Engineer  
Transmission Sub-division Bognar

Assistant Executive Engineer  
Transmission Sub-division Bognor

CB  
dumka  
10-1118

Electrical Executive Engineer  
Transmission Division Begun

	1-Ph Current Transformer	3	SCT	2009
	3 Phase Isolator with/without Earth switch	3	Faraday electrical	2009
Samastipur	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
	3 Phase Circuit Breaker	1	Areva	2009
	1 Ph CVT	3	Areva	2009
	LA	3	Oblum Electrical Ltd	2009
	1-Ph Current Transformer	3	SCT	2009
	3 Phase Isolator with/without Earth switch	3	Faraday electrical	2009
BTPS L9	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
	3 Phase Circuit Breaker	1	Areva	2009
	1 Ph CVT	3	Areva,	2009
	LA	3	Oblum Electrical Ltd	2009
	1-Ph Current Transformer	3	SCT	2009
	3 Phase Isolator with/without Earth switch	3	Faraday electrical	2009

Assistant Executive Engineer  
Transmission Sub-division Baganagar

Electrical Executive Engineer  
Transmission Sub-division Baganagar

132 KV Line bay	BTPS L10	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
		3 Phase Circuit Breaker	1	CGL	2016
		1 Ph CVT	3	Areva	2009
		LA	3	Lamco	2016
		1-Ph Current Transformer	3	SCT	2009
		3 Phase Isolator with/without Earth switch	3	Faraday electrical	2009
	Spare bay	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	Not done
		3 Phase Circuit Breaker	1	CGL	Not done
		1 Ph CVT	3	Areva	2009
		LA	0	—	—
		1-Ph Current Transformer	3	SCT	2009
		3 Phase Isolator with/without Earth switch	3	Faraday electrical	2009
Kusheshwar asthan 1	BTPS L10	Line control & relay panel with Distance protection & O/C E/F protection	1	Seimens	2010
		3 Phase Circuit Breaker	1	Seimens	2010
		1 Ph CVT	3	CGL	2010
		LA	3	CGL,	2010

	1-Ph Current Transformer	3	CGL	2010
	3 Phase Isolator with/without Earth switch	3	Seimens	2010
Kusheshwar asthan 2	Line control & relay panel with Distance protection & O/C E/F protection	1	System & control automation system	2017
	3 Phase Circuit Breaker	1	Seimens	2017
	1 Ph CVT	3	CGL	2017
	LA	3	CGL	2017
	1-Ph Current Transformer	3	SCT	2017
	3 Phase Isolator with/without Earth switch	3	Seimens	2017
Balia	Line control & relay panel with Distance protection & O/C E/F protection	1	System & control automation system	2017
	3 Phase Circuit Breaker	1	CGL	2017
	1 Ph CVT	3	CGL	2017
	LA	3	CGL	2017
	1-Ph Current Transformer	3	SCT	2017
	3 Phase Isolator with/without Earth switch	3	JD Electrical	2017

Assistant Executive Engineer  
Transmission Sub-division Bognarwali

10/11/18  
Electrical Executive Engineer  
Transmission Division Bognarwali

Manjhoul	Line control & relay panel with Distance protection & O/C E/F protection	1	System & control automation system	2017
	3 Phase Circuit Breaker	1	CGL	2017
	1 Ph CVT	3	CGL	2017
	LA	3	CGL	2017
	1-Ph Current Transformer	3	SCT	2017
	3 Phase Isolator with/without Earth switch	3	JD Electrical	2017
Teghra(chamtha)	Line control & relay panel with Distance protection & O/C E/F protection	1	System & control automation system	2017
	3 Phase Circuit Breaker	1	CGL	2017
	1 Ph CVT	3	CGL	2017
	LA	3	CGL	2017
	1-Ph Current Transformer	3	SCT	2017
	3 Phase Isolator with/without Earth switch	3	JD Electrical	2017
50 mva Transformer no 1	Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2009
	3 Phase Circuit Breaker	1	Areva	2009
	LA	3	Oblum Electrical Ltd	2009

TRANSFORMER NO 1		1-Ph Current Transformer	3	SCT	2009
		3 Phase Isolator with/without Earth switch	3	Faraday Electrical Ltd	2009
132/33 KV Transformer bay(HV)	50 mva Transformer no 2	Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2009
		3 Phase Circuit Breaker	1	Areva	2009
		LA	3	Oblum Electrical Ltd,	2009
		1-Ph Current Transformer	3	SCT	2009
		3 Phase Isolator with/without Earth switch	3	Faraday Electrical Ltd	2009
		Transformer control & relay panel with Differential protection & O/C E/F protection	1	SEL	2016
	50 mva Transformer no 3	3 Phase Circuit Breaker	1	Seimens	2016
		LA	3	Lamco,	2016
		1-Ph Current Transformer	3	SCT	2016
		3 Phase Isolator with/without Earth switch	3	Faraday Electrical Ltd	2016

*10/11/18*  
Assistant Executive Engineer  
Transmission Sub-division Raghuraj

*10/11/18*  
24  
Electrical Executive Engineer  
Transmission Division Raghuraj

132/33 KV Transformer bay(LV)	50 mva Transformer no 1	Transformer control & relay panel with Differential protection & O/C E/F protection	1		
		3 Phase Circuit Breaker	1	Areva,	2009
		LA	3	Lamco,	2015
		1-Ph Current Transformer	3	Advent,SCT&Lamco	2016,2008 & 2017
		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2009
	50 mva Transformer no 2	Transformer control & relay panel with Differential protection & O/C E/F protection	1	ABB	2009
		3 Phase Circuit Breaker	1	Areva	2009
		LA	3	Lamco	2015
		1-Ph Current Transformer	3	SCT&Lamco	2008 & 2017
		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2009
	50 mva Transformer no 3	Transformer control & relay panel with Differential protection & O/C E/F protection	1	SEL	2016
		3 Phase Circuit Breaker	1	Schiender	2016
		LA	3	Lamco	2016
		1-Ph Current Transformer	3	SCT	2016

		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2016
132 KV Buscoupler bay	Bus coupler	Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
		3 Phase Circuit Breaker	1	Areva	2009
		1 Ph PT	3	SCT	2009
		LA	0	-	-
		1-Ph Current Transformer	3	SCT	2009
		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2009
33 KV Feeder	Teghra & Bachwara	Line control & relay panel with O/C E/F protection	1	ABB 2008	2009
		3 Phase Circuit Breaker	1	Aeva 2008	2009
		LA	3	Oblum 2014	2015
		1-Ph Current Transformer	3	SCT,2008	2009
		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd,2008	2009
Ranibhadra		Line control & relay panel with O/C E/F protection	1	ABB 2008	2009
		3 Phase Circuit Breaker	1	Aeva 2013	2017
		LA	3	Oblum 2014	2016

	Durgapur	1-Ph Current Transformer	3	SCT,2008	2009
		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd,2008	2009
Birpur & Bhagwanpur		Line control & relay panel with O/C E/F protection	1	ABB 2008	2009
		3 Phase Circuit Breaker	1	Aeva 2008	2009
		LA	3	Oblum 2014	2015
		1-Ph Current Transformer	3	SCT,2008	2009
		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd,2008	2009
Zeromile		Line control & relay panel with O/C E/F protection	1	ABB 2008	2009
		3 Phase Circuit Breaker	1	Aeva 2008	2009
		LA	3	Oblum	2015
		1-Ph Current Transformer	3	SCT	2009
		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2015
Dooms		Line control & relay panel with O/C E/F protection	1	ABB	2009
		3 Phase Circuit Breaker	1	Aeva	2009
		LA	3	Lamco	2016

	1-Ph Current Transformer	3	SCT	2009
	3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2009
Begusarai 1	Line control & relay panel with O/C E/F protection	1	ABB	2009
	3 Phase Circuit Breaker	1	CGL	2015
	LA	3	Oblum	2015
	1-Ph Current Transformer	3	SCT	2009
	3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2009
	Line control & relay panel with O/C E/F protection	1	ABB	2009
Begusarai 2	3 Phase Circuit Breaker	1	Schinder	2017
	LA	3	Lamco	2016
	1-Ph Current Transformer	3	SCT	2009
	3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2009
	Line control & relay panel with O/C E/F protection	1	ABB	2009
Manihouli	3 Phase Circuit Breaker	1	Stelmec	2015
	LA	3	Oblum	2016

Assistant Executive Engineer  
Transmission Sub-division Begusarai

10/11/18  
10/11/18  
Electrical Executive Engineer  
Transmission Division Begusarai

		1-Ph Current Transformer	3	SCT	2009
		3 Phase Isolator with/without Earth switch	3	Faraday electrical ltd	2009
		Line control & relay panel with Distance protection & O/C E/F protection	1	ABB	2009
		3 Phase Circuit Breaker	1	Areva	2009
		1 Ph PT	3	SCT	2009
		LA	0	-	-
		1-Ph Current Transformer	3	SCT	2009
		3 Phase Isolator with/without Earth switch	3	Faraday Electrical ltd	2009
<b>Other Substation Equipments -</b>					
	Battery Charger	1	250 volt	2	Amra raza
		2	48 volt	2	Amra raza
	ACDB			5	Amra raza,vikas power equipments pvt ltd, system control
					2009 ,2017
	DCDB(110V/48V)				
	Battery bank	1	250 volt	5	Amra raza,vikas power equipments pvt ltd, system control
					2009 , 2017

*10/11/18*  
Assistant Executive Engineer  
Transmission Sub-division Bhopal

*10/11/18*  
Electrical Executive Engineer  
Transmission Division Bhopal

	2	48 volt	5	Amra raza,vikas power equipments pvt ltd, system control	2009 , 2017
	DG set		1	Cromptons & Grews	2009
PLCC Equipment	1.Isolator				
	2. Battery Charger				
	3. Panel	14 no	BPL & ABB	2009 & 2016	
	4.telephone	5			
	Hydrant system with Pipe arrangement	1 set	-		2009
	Fire Fighting Equipment	06 no 22kg Co2,08 no 4.5 kg Co2 & 06 no 5 kg DCP type powder cylinder	Zenith		
	Earthing Rods	5 set			
	Tools & Tackles(Spanners,Wrench..etc.(Set/Piece)	1 set	Taparia		
	Testing Equipments	02 no 5kv megger, 02no multimeter,02 no BDV Kit, etc			
	Safety Gear(Helmet,Gloves,Boot, etc.)	4 set	Karma,		
	SST	2	East india udyog ltd		2009
	Spare Hardware Fitting.	-	-		

*anil kumar*  
10/11/18  
Assistant Executive Engineer  
Transmission Sub-division Bogmara

*CL*  
1  
*anil kumar*  
10/11/18  
Executive Engineer  
Transmission Division Bogmara